

	Search Text	DBs
1	((induction or inductive) near5 sensor) same (polymer or thermoplastic or plastic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	((((induction or inductive) near5 sensor) same (polymer or thermoplastic or plastic)) and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	((induction or inductive) near5 sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	((((induction or inductive) near5 sensor)) and (measur\$3 near5 thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	((induction or inductive) near5 sensor) same (polymer or thermoplastic or plastic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	(264/40.1).CCLS.	USPAT
7	((264/40.1).CCLS.) and (thickness same (measurement or measur\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	(264/400).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	((264/400).CCLS.) and scor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	thickness same profile same (plastic or thermoplastic or polymer) same sens\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	(425/141).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	((425/141).CCLS.) and (induct\$3 near5 sens\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	((425/141).CCLS.) and (thickness same profile)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	((((425/141).CCLS.) and (thickness same profile)) and induct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	laser same induct\$3 same sens\$3 same ultrasonic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	(thickness same measur\$5) and (laser same (scor\$3 or tear\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	((thickness same measur\$5) and (laser same (scor\$3 or tear\$3))) and induct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
18	((thickness same measur\$5) and (laser same (scor\$3 or tear\$3))) and ultrasonic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	(thickness same measur\$5) same induct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	((thickness same measur\$5) same induct\$3) and (plastic or polymer or thermoplastic or thermoset or non-metallic)) and (scor\$3 or cut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	(264/40.1).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	((264/40.1).CCLS.) and (thickness same (measurement or measur\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	((264/40.1).CCLS.) and (thickness same (measurement or measur\$3))) and ((induction or inductive) near5 sensor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	((264/400).CCLS.) and ((264/40.1).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	((thickness same measur\$5) same induct\$3) and (plastic or polymer or thermoplastic or thermoset or non-metallic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	(non-destructive near5 (test\$3 or evaluat\$3)) same (ultrasonic or electromagnetic or eddy or induct\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	((non-destructive near5 (test\$3 or evaluat\$3)) same (ultrasonic or electromagnetic or eddy or induct\$3)) and (thickness same (plastic or non-metal\$3 or polymer or thermoplastic or thermoset or composite))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	((non-destructive near5 (test\$3 or evaluat\$3)) same (ultrasonic or electromagnetic or eddy or induct\$3)) and (plastic or non-metal\$3 or polymer or thermoplastic or thermoset or composite)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	((non-destructive near5 (test\$3 or evaluat\$3)) same (ultrasonic or electromagnetic or eddy or induct\$3)) and (plastic or non-metal\$3 or polymer or thermoplastic or thermoset or composite)) and thickness	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	"2035566"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	(324/231).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs *
32	((324/229).CCLS.) and (polymer or thermoplastic or plastic or non-metal\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	(324/229).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	(324/229,231).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	((324/229,231).CCLS.) and contact	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	(324/229,231).CCLS.	USOCR
37	((324/229,231).CCLS.) and contact	USOCR
38	((((thickness same measur\$5) same induct\$3) and (plastic or polymer or thermoplastic or thermoset or non-metallic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	(((((thickness same measur\$5) same induct\$3) and (plastic or polymer or thermoplastic or thermoset or non-metallic))) and (scor\$3 or cut\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB